

บัตรให้คะแนนการประกวดแพะนม



ตามเกณฑ์มาตรฐานการประกวดแพะนมของสมาคมแพะนมอเมริกา American Dairy Goat Association® (ADGA)

โดย ดร.แสนศักดิ์ นาคะวิสุทธิ และ นายชัชวาล วิริยะสมบัติ  
กองบำรุงพันธุ์สัตว์

ลำดับ	คำอธิบายลักษณะและส่วนของร่างกาย	แม่แพะ	แพะสาว	พ่อแพะ
1.	<b>ลักษณะทั่วไป</b> หุ่นสวยงามแสดงลักษณะความเป็นเพศเมีย (หรือความเป็นเพศผู้สำหรับพ่อพันธุ์), แข็งแรง, ยืนตรง, ยาว, สดส่วนกลมกลืนทั้งตัว ทำให้มีท่วงท่าสวยงามและการเดินสวยงาม	35	55	55
	<b>ความสูง</b> – ความสูงที่ปุ่มหลังบริเวณไหล่สูงกว่าสะโพกเล็กน้อย กระดูกยาวโดยตลอด	2	2	2
	<b>หัว และ ลักษณะประจำพันธุ์</b> – หัวมีรูปทรงชัดเจนและมีความยาว, กว้างและลึกอย่างสมดุล; แผ่นเนื้อจมูกกว้างมีรูจมูกเต็ม; หน้าสมส่วน, ดาสดใสไร้เงา; ขากรรไกรแข็งแรงเฉียงรับกับคอก้อยอย่างเหมาะสม; ขนาด, สี, หูและจมูกเหมาะสมตรงกับมาตรฐานตามแนวสายพันธุ์	5	10	8
	<b>องค์ประกอบส่วนหน้า</b> – ปุ่มหลังที่บริเวณไหล่โดดเด่นโค้งมนไปยังจุดกระดูกไหล่ มีบริเวณแผ่นไหล่ จุดกระดูกไหล่และศอกกระชับได้ส่วนและรับกับผนังทรวงอก ทั้งในขณะที่พักผ่อนและกำลังเคลื่อนไหวร่างกาย; ส่วนหน้าลึกและกว้างเข้าไปในแผ่นหน้าอก สวมกล้ามเนื้อหน้าอกแข็งแรงปานกลาง	5	8	10
	<b>หลัง</b> – แข็งแรงและ ตรง กระดูกสันหลังชัดเจนตลอดแนวและลาดเอียงเล็กน้อยขึ้นไปทางปุ่มหลังบริเวณไหล่; สันหลังบริเวณไหล่ราบมีกล้ามเนื้อเต็มไปจนถึงสันเอวเป็นแนวตรงและลึก; ส่วนบั้นท้าย(สะโพก)แข็งแรง กว้างสม่ำเสมอ กัน จากสะโพกไปยังกระดูกก้นกบและ จากพื้นสะโพกด้านหนึ่งไปยังพื้นสะโพกอีกด้านหนึ่งเกือบได้ระดับเดียวกัน; พื้นสะโพก(thurl) มีระยะสองในสามของระยะทางจากสะโพกไปยังกระดูกก้นกบ(สะโพก); กระดูกสะโพกกว้างและเด่นชัดอยู่ต่ำกว่าสะโพกเล็กน้อย; โคนหางอยู่เหนือกระดูกก้นกบเล็กน้อยและได้ระยะพอดีระหว่างกระดูกก้นกบทั้งสองข้าง; หางได้สัดส่วนกับร่างกายและไม่มีร่องรอยผิดปกติ; แคมของคอลอดมีขนาดและรูปทรงปกติ ในเพศเมีย (หนังหุ้มลิ้นคและอวัยวะปกติในเพศผู้)	8	12	10
	<b>ขา, ข้อเท้า และ เท้า</b> – กระดูกขาแข็งแรงเรียบตลอด เคลื่อนไหวร่างกายได้อย่างอิสระ; ขาคู่หน้ามีเข่าชัดเจน ขาดังตรง และกว้างแยกห่างออกจากกัน; ขาคู่หลังแยกจากกันกว้างและวางตรงจากทางด้านหลัง และทางด้านข้างท่ามุมพอดีกับข้อโคนขาหลังถึงข้อขาหลัง, เกือบเป็นแนวตั้งฉากจากปุ่มข้อขาหลังลงไปยังข้อเท้า, ข้อเท้ามีความยาวปานกลางและมีความยืดหยุ่น; เท้าแข็งแรงมีกีบกระชับ เขี่ยดีชี้ตรงไปข้างหน้า; สันเท้าสูงและพื้นฝ่าเท้ามีระยะความลึกจากกีบถึงสันเท้าสม่ำเสมอทั้งหมด	15	23	25
2.	<b>ลักษณะความเป็นแพะนม</b> รูปร่างทั่วไปเป็นเหลี่ยมและกว้าง มีโครงสร้างกระดูกแข็งแรง ไม่มีดาหนี และแสดงให้เห็นความสามารถในการให้นมตามระยะของการให้นม (ตามฤดูผสมพันธุ์ใน พ่อแพะ) <b>คอ</b> – ยาว, กระชับ, และ กลมกลืนสมส่วนไปกับไหล่; ลำคอและเนื้อส่วนอกชัดเจน <b>ปุ่มหลังบริเวณไหล่</b> – โดดเด่น เป็นรูปสี่เหลี่ยมอยู่เหนือกระดูกหัวไหล่เล็กน้อย <b>ซี่โครง</b> – เรียบ, แข็งแรง, กางออกกว้าง, และยาว; ซี่โครงด้านหลังท่ามุมเอียงไปยังซี่ข้าง <b>ซี่ข้าง</b> – ลึก, โค้งมนและปราศจากเนื้อเยื่อส่วนเกิน <b>โคนขา</b> – มองจากด้านข้าง โค้งมนพอประมาณจากกระดูกสะโพกถึงข้อขาด้านใน; มองจากด้านหลัง สองขาแยกห่างกัน รูปโค้งมนมากเพื่อให้มีระยะกว้างขวางสำหรับเต้านมและอวัยวะบริเวณนั้น <b>ผิวหนัง</b> – บาง, หลวม, และ ยืดหยุ่น ขนนุ่มเป็นมัน	20	30	30
3.	<b>ความจุของร่างกาย</b> สัดส่วนค่อนข้างใหญ่ตามขนาด อายุและระยะของการให้น้ำนม (ฤดูการผสมพันธุ์สำหรับพ่อพันธุ์) ทำให้สามารถเพิ่มความจุ ความแข็งแรง ของร่างกาย	10	15	15
	<b>อก</b> – ลึกและกว้างขยาย, โดดเด่นชัดเจน, ซี่โครงด้านหน้ากาง, ด้านข้างไหล่และข้อศอกเต็ม	4	7	7
	<b>ลำตัว</b> – แข็งแรง, ยาว, ลึก, และกว้าง; ซี่โครงกางและลึกลงไปถึงซี่ข้าง	6	8	8
4.	<b>ระบบเต้านม</b> ยึดติดกับลำตัวแข็งแรง, ยืดหยุ่น, สมดุลและมีความจุเพียงพอ, มีคุณภาพ, ง่ายต่อการรีดนม, และแสดงให้เห็นว่าสามารถผลิตน้ำนมมากในช่วงได้เป็นระยะเวลาสั้น	35		
	<b>ที่ยึดเต้านม</b> – เอ็นยึดกลางเต้านมแข็งแรง แบ่งเต้านมออกเป็นสองข้างชัดเจน, ทำให้เต้านมมีรูปทรงสวยงาม มีความจุยึดเต้านมทั้งหมดไว้กับลำตัวอย่างมั่นคงแข็งแรง อยู่เหนือข้อเข่าอย่างชัดเจน. กล้ามเนื้อยึดเต้านมหน้า หลัง และด้านข้างแข็งแรงและราบเรียบ	13		
	<b>เต้านมด้านหน้า</b> – กว้างและเต็มไปทางด้านข้าง ยื่นไปด้านหน้าพอประมาณ ปราศจากสิ่งอื่นใด แสดงให้เห็นปริมาณความจุ รูปร่าง และการให้ผลผลิตที่ดี	5		
	<b>เต้านมด้านหลัง</b> – จ, สูง, กว้าง, โค้งมนไปด้านหลัง; รูปทรงกว้างสม่ำเสมอและลึกถึงพื้นท้อง; มองด้านข้างโค้งมนพอประมาณออกไปด้านหลังไม่เกินอวัยวะเพศ	7		
	<b>ความสมดุล, สมมาตร และคุณภาพ</b> – มองด้านข้าง, ประมาณ 1 ใน 3 ของเต้านมสามารถมองเห็นได้ด้านหน้าของขาหลัง, 1 ใน 3 ขาหลังบังอยู่ และ อีก 1 ใน 3 ที่เหลืออยู่ด้านหลังของขาหลัง; โดยรอบมีพื้นผิวหนังนุ่ม, ยืดหยุ่น, และยึดติดตัวได้ดีหลังจากการรีดนม ปราศจากแผลเป็น แบ่งครึ่งเป็นสองเต้าอย่างสมดุลและสม่ำเสมอ	6		
	<b>หัวนม</b> – ขนาดสม่ำเสมอและมีความยาวและเส้นผ่าศูนย์กลางปานกลางได้สัดส่วนกับความจุของเต้า รูปทรงทรงกระบอกขลิบเกือบตรงหรือชี้ไปข้างหน้าเล็กน้อยและ จุดที่ยื่นออกมาเป็นระยะประมาณ 2 ใน 3 ของระยะทางจากเอ็นยึดเต้านมกลางพื้นท้องแต่ละข้าง เมื่อมองทางด้านข้าง แสดงถึงความสะดวกในการรีดนม	4		
	<b>คะแนนรวม</b>	100	100	100

American Dairy Goat Association® (ADGA) Show Scorecard		Senior Doe	Junior Doe	Buck
A.	<b>GENERAL APPEARANCE</b> An attractive framework with femininity (masculinity in bucks), strength, upstandingness, length, and smoothness of blending throughout that create an impressive style and graceful walk.	<b>35</b>	<b>55</b>	<b>55</b>
	<b>Stature</b> - slightly taller at withers than at hips with long bone pattern throughout.	2	2	2
	<b>Head &amp; Breed Characteristics</b> - clean-cut and balanced in length, width, and depth; broad muzzle with full nostrils; well-sculpted, alert eyes; strong jaw with angular lean junction to throat; appropriate size, color, ears, and nose to meet breed standard.	5	10	8
	<b>Front End Assembly</b> - prominent withers arched to point of shoulder with shoulder blade, point of shoulder, and point of elbow set tightly and smoothly against the chest wall both while at rest and in motion; deep and wide into chest floor with moderate strength of brisket.	5	8	10
	<b>Back</b> - strong and straight with well-defined vertebrae throughout and slightly uphill to withers; level chine with full crops into a straight, wide loin; wide hips smoothly set and level with back; strong rump which is uniformly wide and nearly level from hips to pinbones and thurl to thurl; thurls set two-thirds of the distance from hips to pinbones; well defined and wide pinbones set slightly lower than the hips; tailhead slightly above and smoothly set between pinbones; tail symmetrical to body and free from coarseness; vulva normal in size and shape in females (normal sheath and testes in males).	8	12	10
	<b>Legs, Pasterns &amp; Feet</b> - bone flat and strong throughout leading to smooth, free motion; front legs with clean knees, straight, wide apart and squarely placed; rear legs wide apart and straight from the rear and well angulated in side profile through the stifle to cleanly molded hocks, nearly perpendicular from hock to pastern, yet flexible pastern of medium length; strong feet with tight toes, pointed directly forward; deep heels with sole nearly uniform in depth from toe to heel.	15	23	25
B.	<b>DAIRY CHARACTER</b> Angularity and general openness with strong yet refined and clean bone structure, showing freedom from coarseness and with evidence of milking ability giving due regard to stage of lactation (of breeding season in bucks). <b>Neck</b> - long, lean, and blending smoothly into the shoulders; clean-cut throat and brisket. <b>Withers</b> - prominent and wedge-shaped with the dorsal process arising slightly above the shoulder blades. <b>Ribs</b> - flat, flinty, wide apart, and long; lower rear ribs should angle to flank. <b>Flank</b> - deep, yet arched and free of excess tissue. <b>Thighs</b> - in side profile, moderately incurving from pinbone to stifle; from the rear, clean and wide apart, highly arched and out-curving into the escutcheon to provide ample room for the udder and its attachment. <b>Skin</b> - thin, loose, and pliable with soft, lustrous hair.	<b>20</b>	<b>30</b>	<b>30</b>
C.	<b>BODY CAPACITY</b> Relatively large in proportion in size, age, and period of lactation of animal (of breeding season for bucks), providing ample capacity, strength, and vigor.	<b>10</b>	<b>15</b>	<b>15</b>
	<b>Chest</b> - deep and wide, yet clean-cut, with well sprung foreribs, full in crops and at point of elbow.	4	7	7
	<b>Barrel</b> - strongly supported, long, deep, and wide; depth and spring of rib tending to increase into a deep yet refined flank	6	8	8
D.	<b>MAMMARY SYSTEM</b> Strongly attached, elastic, well-balanced with adequate capacity, quality, ease of milking, and indicating heavy milk production over a long period of usefulness.	<b>35</b>		
	<b>Udder Support</b> - strong medial suspensory ligament that clearly defines the udder halves, contributes to desirable shape and capacity, and holds the entire udder snugly to the body and well above the hocks. Fore, rear, and lateral attachments must be strong and smooth.	13		
	<b>Fore Udder</b> - wide and full to the side and extending moderately forward without excess non-lactating tissue and indicating capacity, desirable shape, and productivity.	5		
	<b>Rear Udder</b> - capacious, high, wide, and arched into the escutcheon; uniformity wide and deep to the floor; moderately curved in side profile without protruding beyond the vulva.	7		
	<b>Balanced, Symmetry &amp; Quality</b> - in side profile, one-third of the capacity visible in front of the leg, one-third under the leg, and one-third behind the leg; well-rounded with soft, pliable, and elastic texture that is well collapsed after milking, free of scar tissue, with halves evenly balanced.	6		
	<b>Teats</b> - uniform size and of medium length and diameter in proportion to capacity of udder, cylindrical in shape, pointed nearly straight down or slightly forward, and situated two-thirds of the distance from the medial suspensory ligament on the floor of each udder-half to the side, indicating ease of milking.	4		
	<b>TOTALS</b>	<b>100</b>	<b>100</b>	<b>100</b>

# PARTS OF THE DAIRY GOAT



*graphics by Karen Carr*